

COMMERCIAL

PRODUCT OFFERING

MID-SOUTH

TENNESSEE, KENTUCKY, MISSISSIPPI,
NORTH ALABAMA & SOUTHWEST VIRGINIA



BELGARD
COMMERCIAL



PAVER FINISHES & APPLICATIONS

Finishes



Standard (smooth)

Unit surfaces and micro-chamfers are carefully molded using a high-quality precision machined steel shoe assembly which creates units with an extremely smooth surface and precision detailed chamfer.



Antiqued

Units are molded to form specific surface and side textures that are processed through tumbling equipment, imparting a distressed or aged appearance.



Sand Blast

Exposes the surface of the paving unit to reveal the natural beauty of the aggregates and pigmentation.



Textured (slate)

Units are molded to form a surface that emulates natural stone with a sculpted, textured finish.



Pedestrian

Designated for areas that are primarily for pedestrian applications including commercial plazas that may require occasional access for emergency or maintenance vehicles, as well as residential driveways.



Light Vehicles

Designated for commercial vehicular areas, access ways, and parking lots where only cars and light trucks are anticipated. Heavy vehicles should have limited access and use.



Occasional Heavy Vehicles

Designated for vehicular areas, parking lots, and roadways where limited heavy vehicles are anticipated daily such as large delivery trucks or garbage trucks.












Frequent Heavy Vehicles

Designated for vehicular areas, parking lots, and roadways where heavy vehicles are a regular component of the daily traffic volume.

Paver application icons are general recommendations. Site conditions and pavement cross section must be considered. Paver application icons are based on placement over unbound aggregates for setting beds, base and subbase.

MODULINE SERIES® VEHICULAR & ARCHITECTURAL PAVERS

UNITS	THICKNESS	SIZE	APPLICATIONS				ADA*	MECHANICAL INSTALL	FINISHES				CHAMFER WIDTH	SQ. FT. PER PALLET	PCS. PER PALLET	PALLET WEIGHT (LBS)
											Standard	Ground Face				
 4" x 18"	80 mm	4" x 18"	80 mm						Standard	Ground Face	Sand Blast	Antiqued	3 mm	72	144	2,592

DIMENSIONS™ SERIES VEHICULAR & ARCHITECTURAL PAVERS

UNITS	THICKNESS	SIZE	APPLICATIONS				ADA*	MECHANICAL INSTALL	FINISHES				CHAMFER WIDTH	SQ. FT. PER PALLET	PCS. PER PALLET	PALLET WEIGHT (LBS)
											Standard	Ground Face				
DIMENSIONS™ 3-PIECE SYSTEM																
 Dimensions 6	60 mm	3" x 6" 6" x 6" 6" x 9"	60 mm						Standard				3 mm	120	160	3325
 Dimensions 12	60 mm	12" x 6" 12" x 12" 12" x 18"	60 mm						Standard				3 mm	120	120	3516
 Dimensions 18	60 mm	18" x 9" 18" x 18" 18" x 27"	60 mm						Standard				3 mm	112.5	50	3516
 Dimensions Accent	60 mm	6" x 9"	60 mm						Standard				3 mm	112.5	300	2948
 Dimensions Antiqued 3-Piece	60 mm	3" x 6" 6" x 6" 6" x 9"	60 mm										N/A	120	160	3325
 Dimensions 6 Antiqued	60 mm	6" x 9"	60 mm										N/A	112		3240
DIMENSIONS™ SINGLE PIECE																
 Dimensions 3" x 12"	60 mm 80 mm 101.6 mm	3" x 12"	60 mm	80 mm	101.6 mm				Standard				3 mm	110 (60 mm) 88 (80 mm) 60 (101.6 mm)	440 (60 mm) 352 (80 mm) 264 (101.6 mm)	2,915 (60 mm) 3,168 (80 mm) 2,858 (101.6 mm)
 Dimensions 6" x 6"	60 mm 80 mm 101.6 mm	6" x 6"	60 mm	80 mm	80 mm				Standard				3 mm	120 (60 mm) 96 (80 mm) 72 (101.6 mm)	480 (60 mm) 384 (80 mm) 288 (101.6 mm)	3,288 (60 mm) 3,456 (80 mm) 3,168 (101.6 mm)
 Dimensions 6" x 9"	80 mm	6" x 9"	80 mm	80 mm	80 mm	80 mm							3 mm	90	240	3,240
 Dimensions 6" x 12"	60 mm 80 mm 101.6 mm	6" x 12"	60 mm	80 mm					Standard				3 mm	120 (60 mm) 96 (80 mm) 72 (101.6 mm)	240 (60 mm) 192 (80 mm) 144 (101.6 mm)	3,240 (60 mm) 3,456 (80 mm) 3,168 (101.6 mm)
 Dimensions 12" x 12"	60 mm 80 mm 101.6 mm	12" x 12"	60 mm	80 mm					Standard				3 mm	120 (60 mm) 96 (80 mm) 72 (101.6 mm)	120 (60 mm) 96 (80 mm) 432 (101.6 mm)	3,288 (60 mm) 3,456 (80 mm) 3,168 (101.6 mm)
 Dimensions 12" x 18"	60 mm	3" x 12"	60 mm						Standard				3 mm	120	80	3,288
 Dimensions 18" x 24"	60 mm	6" x 6"	60 mm						Standard				3 mm	120	40	3,288
 Dimensions 24" x 24"	60 mm	6" x 9"	60 mm										3 mm	80	20	2,160
 Dimensions 24" x 30"	60 mm	12" x 12"	60 mm						Standard				3 mm	100	20	2,700

* May be Suitable for ADA applications. Always evaluate site-specific uses to ensure surface suitability. Product installation and surface maintenance influence compliance with ADA Standards for Accessible Design Section 302 Floors or Ground Surfaces. Tumbling or antiquing pavers can also create surface or edges that may make the product unsuitable for ADA applications.

Interlocking pavers can be used for a variety of different vehicular applications. Appropriate shape and thickness is based on project-specific conditions including type of loading, base design, and subgrade conditions. It is recommended that you consult a Belgard representative in your area before specifying products for vehicular applications.

Secondary processes and finishes including, but not limited to, face-grinding, may impact dimensional tolerances from base dimensions.

PAVER AVAILABLE COLORS

Dimensions Single Piece



Graphite



Foundry



Linen*



Desert



Sunset



Almond

* Light colored paver has an SRI value of ≥ 29 and/or an SR value of ≥ 0.33

Dimensions 6, 12, 18 & Antiqued



Arctic



Limestone
(Dimensions 12 Only)



Potomac



Savannah



Scandina Gray


Dimensions Accent



Bourbon Brown





Graphite



PICTURED ON PAGE: DIMENSIONS SERIES

VEHICULAR & ARCHITECTURAL PAVERS

UNITS	THICKNESS	SIZE	APPLICATIONS				ADA*	MECHANICAL INSTALL	FINISHES				CHAMFER WIDTH	SQ. FT. PER PALLET	PCS. PER PALLET	PALLET WEIGHT (LBS)	
									Standard	Antiqued	Textured	Sand Blast					
 Belgian Cobble®	60 mm	Various	60 mm								✓			N/A	68	320	1,640
 Brooklyn™	60 mm	3" x 9"	60 mm											N/A	103.13	-	2,805
 Cambridge Cobble® 3-Piece	60 mm	3" x 6" 6" x 6" 6" x 9"	60 mm							✓				rounded	116	480	3,016
 Cambridge Cobble® Rectangle	60 mm	6" x 9"	60 mm							✓				rounded	112.5	-	2,970
 Holland Stone	60 mm 80 mm	4" x 8"	60 mm	80 mm	80 mm	80 mm	✓	✓	✓	✓			✓	7 mm	120	540	3,230
 Mega-Arbel® Patio Slab	60 mm	15¾" x 21"	60 mm									✓		N/A	104.4	72	2,925
 Mega-Lafitt™ 3-Piece	80 mm	5¼" x 10½" 10½" x 10½" 10½" x 15¾"	80 mm									✓		N/A	92	117	3,312
 Mega-Stone	80 mm	4 ¾" x 9 ⅙"	80 mm	80 mm	80 mm					✓	✓			N/A	98	-	3,357
 Origins™ 6	60 mm	3" x 6" 6" x 6" 6" x 9"	60 mm									✓		3 mm	120	160 160 160	3,240
 Origins™ 12	60 mm	12" x 6" 12" x 12" 12" x 18"	60 mm									✓		3 mm	120	-	3,240
 Origins™ 18	60 mm	18" x 9" 18" x 18" 18" x 27"	60 mm									✓		3 mm	112.5	50	3,038
 Origins™ Accent	60 mm	6" x 9"	60 mm									✓		3 mm	120	300	3,240
 Papyrus™ 18	60 mm	18" x 9" 18" x 18" 18" x 27"	60 mm					✓						3 mm	112.5	50	3,038
 Urbana® 3-Piece	80 mm	4" x 8" 8" x 8" 8" x 12"	80 mm	80 mm				✓			✓	✓		N/A	90	216	3,276


* May be Suitable for ADA applications. Always evaluate site-specific uses to ensure surface suitability. Product installation and surface maintenance influence compliance with ADA Standards for Accessible Design Section 302 Floors or Ground Surfaces. Tumbling or antiquing pavers can also create surface or edges that may make the product unsuitable for ADA applications.

Interlocking pavers can be used for a variety of different vehicular applications. Appropriate shape and thickness is based on project-specific conditions including type of loading, base design, and subgrade conditions. It is recommended that you consult a Belgard representative in your area before specifying products for vehicular applications.

Secondary processes and finishes including, but not limited to, face-grinding, may impact dimensional tolerances from base dimensions.

PAVER AVAILABLE COLORS

Belgian Cobble



Midnight



Moonlight

Brooklyn



Midnight



Rosewood

Mega-Arbel



Limestone



Savannah

Mega-Stone



Ardennes



Graphite

Cambridge Cobble



Driftwood



Potomac



Thunderhead

Origins 6, 12 & 18



Arctic



Limestone
(Origins 12 Only)



Potomac

Holland Stone



Driftwood



Graphite



Potomac



Thunderhead



Savannah




Scandina Gray

Holland Stone ADA



Red*



Charcoal*


Papyrus 18



Scandina Gray



Sepia




DIMENSIONS ANTIQUED
POTOMAC



URBANA
AVONDALE



DIMENSIONS 6 & 12
SAVANNAH



CAMBRIDGE COBBLE
SAVANNAH














MEGA-ARBEL & MEGA-LAFITT BORDER
SAVANNAH










HOLLAND STONE
GUILFORD

PERMEABLE PAVERS

UNITS	THICKNESS	SIZE	APPLICATIONS				ADA*	MECHANICAL INSTALL	FINISHES			MANUF. JOINT WIDTH	% SURFACE OPENING	CHAMFER WIDTH	SQ. FT. PER PALLET	PCS. PER PALLET	PALLET WEIGHT (LBS)
									Standard	Antiqued	Textured						
AQUALINE™ SERIES																	
 Aqualine 4.5 x 9	80 mm	4½" x 9"	80 mm	80 mm	80 mm	80 mm	✓	✓	✓			10 mm	10%	3 mm	90	-	3,100
 Aqualine Ashlar 3-pc	80 mm	4½" x 4½" 4½" x 9" 9" x 9"	80 mm	80 mm	80 mm	80 mm	✓	✓	✓			10 mm	12%	3 mm	-	-	-
ADDITIONAL PRODUCT LINES																	
 Aqua-Bric® Type I	80 mm	4⅞" x 9⅞"	80 mm	80 mm	80 mm		✓		✓	✓		5 mm 9 mm Maint. Void	9%	3 mm	-	-	-
 Aqua-Bric® Type 4	80 mm	4⅞" x 9⅞"	80 mm	80 mm	80 mm		✓	✓	✓			5 mm 9 mm Maint. Void	9%	3 mm	-	-	-
 Eco Urbana™	80mm	4" x 8" 8" x 8" 8" x 12"	80 mm	80 mm			✓			✓	✓	Variable 4mm -10 mm	3%	N/A	90	-	3,200

CONCRETE GRID PAVEMENTS

UNITS	THICKNESS	SIZE	APPLICATIONS				ADA	MECHANICAL INSTALL	FINISHES			MANUF. JOINT WIDTH	% SURFACE OPENING	CHAMFER WIDTH	SQ. FT. PER PALLET	PCS. PER PALLET	PALLET WEIGHT (LBS)
									Standard	Antiqued	Textured						
 Turfstone™	80 mm	15¾" x 23¾"	80 mm						✓				40%		128	50	3,000


* May be Suitable for ADA applications. Always evaluate site-specific uses to ensure surface suitability. Product installation and surface maintenance influence compliance with ADA Standards for Accessible Design Section 302 Floors or Ground Surfaces. Tumbling or antiquing pavers can also create surface or edges that may make the product unsuitable for ADA applications.

Interlocking pavers can be used for a variety of different vehicular applications. Appropriate shape and thickness is based on project-specific conditions including type of loading, base design, and subgrade conditions. It is recommended that you consult a Belgard representative in your area before specifying products for vehicular applications.

Secondary processes and finishes including, but not limited to, face-grinding, may impact dimensional tolerances from base dimensions.



AQUALINE
SAVANNAH



BELGIAN COBBLE
MOONLIGHT



AQUALINE
SAVANNAH



AQUA BRIC & MEGA-STONE
POTOMAC



TURFSTONE
GRAY



AQUALINE
ARDENNES

PORCELAIN PAVERS

UNITS	THICKNESS	SIZE	ADA	PEDESTAL APPLICATION	SQ. FT. PER PALLET	PCS. PER PALLET	PALLET WEIGHT (LBS)	
								
	Foundation	3/4"	12" x 24"	✓	✓	303.6	-	2807
	Foundation	3/4"	24" x 24"	✓	✓	275.04	-	2533.8
	Genoa	3/4"	24" x 24"	✓	✓	275.04	-	2533.8
	Noon	3/4"	12" x 48"	✓	✓	279	40	1,480
	Quarziti 2.0	3/4"	24" x 24"	✓	✓	232.5	-	2,160



PORCELAIN PAVER AVAILABLE COLORS

Foundation



Amber Beige



Scandina Gray

Genoa



Blanco



Crema

Noon



Daylight
NN 01 NAT - V4



Ember
NN 02 NAT - V4



Honey
NN 03 NAT - V4

Quarziti 2.0



Glacier



Waterfall

ROOFTOP PAVERS & PEDESTALS

Possibilities are endless when designing and building plaza decks using Belgard Commercial Pedestals. The pedestal system's elevation range of 1/8" - 36" allows for building plaza decks over almost any sloping or difficult surface.

Building plaza decks over occupied space has never been easier. The unique screw-to-adjust feature eliminates tedious and time-consuming installation often associated with constructing level decks over sloping surfaces. Construction crews quickly level each plaza paver by adjusting pedestal height, even while loaded.

Future access to waterproofing entails simply removing specific plaza pavers. Pedestal adjustments within the allowed range are accomplished by merely adjusting pedestal height and you're done – saving time and money.

SPECIFICATIONS

- Supports up to 1000 lbs.
- Maximum elevation up to 36" using couplers and braces
- Impervious to water, mold & freeze-thaw
- Preassembled
- Packaged in weather-resistant boxes
- Contains 20% post-industrial recycled material
- Engagement "bumps" warn of over-extension

RESOURCES AVAILABLE

- CAD details
- Specifications
- Technical cut sheets
- Maintenance guide
- Videos: planning, installation & more
- Take-off assistance
- Samples available
- Technical assistance
- Customer service



Model PR1
Adjusts from 1.2" - 2.55"

Model PR2
Adjusts to 6.1"

Model PR3
Adjusts to 16"

	MODEL SE SUPPORTS	MODEL NM SUPPORTS	PEDESTAL PRIME SUPPORTS
Self Leveling Head	✓		✓
Fixed Head	✓	✓	✓
Adjustable	✓	✓	✓
Extendable w/ Coupler	✓	✓	✓
Adjustment Key	✓	✓	✓
Locking IPE Pins	✓	✓	✓
Recycleable (LEED)	✓	✓	✓
Loading Capacity	✓	✓	✓
Integrated Extension Coupler			✓

ROOFTOP PAVERS & ACCESSORIES

UNITS	THICKNESS	SIZE	MATERIAL	FINISHES			PEDESTAL APPLICATION	PCS. PER PALLET	WEIGHT PER SQ. FT. (LBS)
				Smooth	Shot Blast	Diamond			
ROOFTOP PAVERS									
Classic Plaza Slab	1 7/8"	24" x 24"	Concrete	✓	✓	✓	✓	Varies 24-25 <i>Contact Belgard Representative for info</i>	23
Porcelain Plaza Pavers	3/4"	See page 14	Porcelain	✓			✓	-	-
Wood Plaza Paver	1.5"	24" x 24" 24" x 48"	Ipe Wood	✓			✓	-	5.56
ACCESSORIES									
Cubes & Cube Tops <i>(Made to order, custom sizes available)</i>	-	24" x 24" x 16 1/2" 48" x 24" x 16 1/2"	Ipe Wood or Powder Coated Aluminum	✓			✓	-	-
Pedestals - Fixed Height	-	1/4", 1/2", 3/4" height	-				✓	100 pcs per box	-
Pedestals - Adjustable	-	1 1/4" - 36" height*	-				✓	30 pcs per box	-

Classic Plaza Slab Colors



Chamois



Charcoal



Ginger



SRI White**



Cinnamon



Limestone



Natural



Red




* Higher heights require extension couplers. Additionally, heights over 24" require bracing.




**SRI Color - Solar Reflective Index in excess of 80

SEGMENTAL RETAINING WALLS (SRW)

UNITS	UNIT SIZE			CONNECTION TYPE		ACCESSORIES* (SOLD SEPARATELY)		TEXTURE			FACE STYLES				BATTER/ SETBACK
	Height	Width	Depth	Block	Other	Column/ Corner Unit	Cap Unit	Sculpted	Split	Tumbled	Straight	Beveled	Virtual Joint	Stone Cut	
 AB® Classic	8"	18"	12"	Front Lip		✓	✓		✓		✓				6°
 AB Metropolitan™	7½"	18"	12"	Front Lip		✓	✓				✓				6°
 Ashlar Tandem™	7"	13⅜", 15⅝", 18"	3"		Polypropylene Connectors		✓	✓							0/4°
 Castlemanor® Grana	6"	6", 12", 16" (long side dimension)	10"		Fiberglass Pins		✓			✓					0° and 9.5°
 Castlemanor® Rustic	6"	6", 12", 16" (long side dimension)	10"		Fiberglass Pins		✓			✓					0° and 9.5°
 Diamond Pro®	8"	18"	12"	Rear Lip		✓	✓		✓		✓				7.1°; 1" Per Course
 Highland Stone® VJ	6"	17¾"	9"	Rear Lip			✓		✓					✓	10.6°
 Melville Tandem™	7"	13⅜", 15⅝", 18"	3"		Polypropylene Connectors		✓				✓				0/4°
 Melville™ Wall	4"	20"	10"				✓				✓				Vertical
 Mega Tandem™ 3-in-1 Wall System	12"	24"	3"		41", 22" & 7" Polypropylene Connectors		✓	✓						✓	2.4°
 Weston Stone™	4"	8", 12" (long side dimension)	8"							✓					Vertical
 Weston Stone™ Universal	4"	12"	8"							✓					Vertical

COMPLEMENTARY PRODUCTS

PRODUCT	SIZE	PALLET INFORMATION
 AB® Cap	4" x 18" x 12"	60 units per pallet
 AB Metropolitan™ Cap	4" x 18" x 12"	60 units per pallet
 Castlemanor® Rustic & Castlemanor® Grana Cap	3" x 10" x 12"	72 units per pallet
 Diamond Pro® Cap	4" x 18" x 12"	64 units per pallet
 Highland Stone® Cap	3" x 17¼" / 10⅝" x 9"	80 units per pallet
 Melville™ Wall Cap	2" x 20" x 13"	60 units per pallet
 Tandem Cap	15" x 24" x 3¼"	32 units per pallet



OUTDOOR KITCHENS & FIRE FEATURES

BEAUFORT SERIES

The newest addition to the Belgard fire feature line, the Beaufort series utilizes the natural texture of Agilina™ Plank for an upscale, modern look. Also adding the new Linear Fireplace to complete the collection.



WESTON STONE™ FIRE PIT KIT

Belgard's Weston Stone Universal Fire Pit Kit installs quickly and offers the clean and contemporary look of tumbled stone. The kit is available in three popular color blends developed to complement most Belgard® paving stone and retaining wall types.



BORDEAUX™ SERIES

A timeless stackstone design that allows the fireplace, the grill island, or the brick oven to become the focal point of your outdoor space.



BRIGHTON™ SERIES

Addresses the need and request for a lower-priced fireplace set. Featuring the same 36" firebox as the Bristol Series, plus a built-in hearth, Brighton is a beautiful option for those on a budget.



TANDEM® MODULAR GRID

Easy to install. Versatile. Modular. Simply create your project frame, attach the grid to your structure and clip your Tandem veneers to the grid. Can be used in various applications from deck skirting to outdoor kitchens.

PLEASE NOTE:

Fireplace is wood burning only. Gas log sets and components need to be purchased and installed separately.

Grill island includes stainless grill and door set. Grill is available in propane or natural gas. Must be specified when placing order.

All our Fireplaces and Fire Pits come standard as wood-burning units. However, our fireplaces and fire pits can be retro-fitted for gas burning log sets and burners. Our brick ovens are wood burning units only. Please contact us for more details 877-235-4273. Also, be sure to check with your local municipality for any codes that may affect your installation.



PROFESSIONAL SUPPORT



ENVIRONMENTAL SOLUTIONS

Belgard consultants can work with your team to develop the best PICP system design or retaining wall configuration to control runoff volume and discharge rates, improve the quality of local groundwater, reduce or prevent downstream impacts, and minimize the land consumed for stormwater management.



CAD FILES

For your convenience, Belgard offers a constantly expanding library of easy-to-download CAD files of our products and patterns.



CONTINUING EDUCATION

Belgard offers a variety of ongoing educational programs for our industry partners, including Lunch & Learns, online CEU courses, and our Belgard University training program.



SITE PLANNING

The experts at Belgard can help you optimize your site in a number of ways—whether you're looking for creative ways to define public spaces, manage or harvest stormwater, or increase the useable space for development.



ENGINEERING SERVICES

Our team of design consultants can help address both aesthetic and engineering design concerns, material quantity estimates and permit ready plans.

BELGARD MID-SOUTH LOCATIONS



CLARKSVILLE
4235 Gutherie Hwy
Clarksville, TN 37040
Ph: 866-694-5326

ROCKWOOD
600 Cardiff Valley Road
Rockwood, TN 37854
Ph: 888-624-3088

PELHAM
3166 Lee Street
Pelham, AL 35124
Ph: 205-664-0095

HOLLAND STONE
LOW COUNTRY



[BELGARDCOMMERCIAL.COM](https://www.belgardcommercial.com)